

articlecod	articlename	weight g/m ²	widths	printing characteristics	Latex	UV	Solvent	Dye Sub direct with integrated heater *	Dye Sub direct no integrated heater calander *	Dye Sub	Dye Sub	special features	pricing	softness	creasing	FR	stability
3745/3	ecoflag 117 <i>new: with antistatic coating</i>	117	155 / 181/ 255 / 310	print through → Image quality →	LX 800 90% good	✓ 80% good	▪	✓ 100% good	▪	✓ 100% good	✓ 90% good	antistatic coating	best	very soft	no	no	high
3745/46	ecoflag 117 budget FR <i>new: with antistatic coating</i>	117	155 / 181/ 255 / 310	print through → Image quality →	LX 800 90% good	✓ 80% good	▪	✓ 100% good	▪	✓ 100% good	✓ 90% good	antistatic coating	best	very soft	no	B1	high
3745/6	ecoflag 117 Fr <i>new: with antistatic coating</i>	117	155 / 181/ 255 / 310	print through → Image quality →	LX 800 90% good	✓ 80% good	▪	✓ 95% very good	▪	✓ 90% good	✓ 85% good	antistatic coating	good	very soft	no	B1 / M1	high
3745/26	ecoflag 117 Fr +w <i>new: with antistatic coating</i>	117	155 / 181/ 255 / 310	print through → Image quality →	LX 800 90% good	✓ 80% good	▪	✓ 80% perfect	✓ 80% perfect	▪	▪	antistatic coating	good	soft	crease sensitive / marking	B1	high
3745/73	solvoflag 100 Fr +s	95	162 / 252 / 310 / 505	162, 252, 310, 505 print through → Image quality →	LX 800 90% good	✓ 80% good	✓ good	▪	▪	▪	▪	up to 505cm	higher	soft	low / little marking	B1	moderate
3745/473	solvoflag 100 Fr +Pws	95	137 / 155	print through → Image quality →	✓ 90% good	✓ 80% good	✓ good	▪	▪	▪	▪	paperbacking for printers with vacuum table or no "ink collector"	higher	soft	low	B1	moderate
3743/73	solvoflag TCS 100 Fr +s	110	205 / 310 / 505	print through → Image quality →	LX 800 90% good	✓ 80% good	✓ good	▪	▪	▪	▪	up to 505cm / M1 FR	higher	stiffer	crease sensitive / marking	B1 / M1	high

printers in this category

	printable with Latex Inks	HP Latex 65500, HP Latex 25500, LX 600, LX 800
	printable with UV inks	e.g. Nur Expedio, Nur Tempo, Vutek PressVue, Durst Rho, Zünd, Colorsplan,...
	printable with solvent & eco solvent inks	e.g. Vutek UltraVue, HPScitex XL-jet, Roland Soljet series, Mimaki JV series, HP 10000
	direct printable with waterbased sublimation inks integrated heater	e.g. D-Gen Teleios, Gandi Jeti Aquajet, Roland Atp solution... → *
	direct printable with waterbased sublimation inks externalfixaion (Calander)	e.g. Dupont Artistri, Roland FB 740, .. → *
	direct printable with oil based sublimation inks	e.g. Vutek FabriVue, Gandi Jeti DYEsub oil
	Sublimation with Paper transfer	all Dyesub printers for Papertransfer

✓	ok
▪	N/A








integrated heater: the printed textile is heated/fixated directly after printing, before rewinding

external heater (calander): the textile is rolled up directly after printing (slightly wet), and calandered in a separate step.

		compatibility														
articlecod	articlename	weight g/m ²	widths	HP L25500	HP LX 600	HP LX 800	HP "Expadio"	Vutek QS	Durst Rho	Vutek Ultra Vu Series	HP "Granjets Series"	Aquajet	Mimaki JV 5 DS	Digen	ATP Color	Rhotex
				Latex	Latex	Latex	UV	UV	UV	Sol	Sol	SUB water	SUB water	SUB water	SUB water	SUB water
3745/3	ecoflag 117 <i>new: with antistatic coating</i>		117 155 / 181/ 255 / 310	▪	▪	✓	✓	✓	✓	▪	▪	✓	✓	✓	✓	✓
3745/46	ecoflag 117 budget FR <i>new: with antistatic coating</i>		117 155 / 181/ 255 / 310	▪	▪	✓	✓	✓	✓	▪	▪	✓	✓	✓	✓	✓
3745/6	ecoflag 117 Fr <i>new: with antistatic coating</i>		117 155 / 181/ 255 / 310	▪	▪	✓	✓	✓	✓	▪	▪	✓	✓	✓	✓	✓
3745/26	ecoflag 117 Fr +w <i>new: with antistatic coating</i>		117 155 / 181/ 255 / 310	▪	▪	✓	✓	✓	✓	▪	▪	✓	✓	✓	✓	✓
3745/73	solvoflag 100 Fr +s		95 162 / 252 / 310 / 505	▪	▪	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3745/473	solvoflag 100 Fr +Pws		95 137 / 155	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3743/73	solvoflag TCS 100 Fr +s		110 205 / 310 / 505	▪	▪	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

printers in this category

Index

-  printable with Latex Inks
-  printable with UV inks
-  printable with solvent & eco solvent inks
-  direct printable with waterbased sublimation inks integrated heat
-  direct printable with waterbased sublimation inks external fixation (C)
-  direct printable with oil based sublimation inks
-  Sublimation with Paper transfer

articlecod	articlename	weight	widths
		g/m ²	

3745/3 ecoflag 117 117 155 / 181/ 255 / 310
new: with antistatic coating

3745/46 ecoflag 117 budget FR 117 155 / 181/ 255 / 310
new: with antistatic coating

3745/6 ecoflag 117 Fr 117 155 / 181/ 255 / 310
new: with antistatic coating

3745/26 ecoflag 117 Fr +w 117 155 / 181/ 255 / 310
new: with antistatic coating

3745/73 solvoflag 100 Fr +s 95 162 / 252 / 310 / 505

3745/473 solvoflag 100 Fr +Pws 95 137 / 155

3743/73 solvoflag TCS 100 Fr +s 110 205 / 310 / 505

printers in this category



printable with Latex Inks



printable with UV inks



printable with solvent & eco solvent inks



direct printable with waterbased sublimation inks integrated heat



direct printable with waterbased sublimation inks external fixation (C)



direct printable with oil based sublimation inks



Sublimation with Paper transfer